

Enbeam FTTX Outlet - White, Loaded with 2 x Shuttered SC/APC adapters

Item Code: 200-443

excel
without compromise.



✕ FTTX Surface mount box and faceplate

✕ Available in LC/APC Duplex or SC/APC Simplex

✕ Easy installation

✕ For use in the residential market or Fibre to the Desk applications

✕ 25 Year system warranty

Product Overview

The Excel FTTX Surface mount box and faceplate has been designed due to the increasing amount of Passive Optical LAN and FTTX applications such as Fibre to the Home or Fibre to the Desk, requiring the high speed connections provided by Optical Fibre.

They provide the flexibility by having a number of options, coming either unloaded, with 2 SCAPC simplex adapters, 1 LCAPC duplex adapter or 2 LCAPC duplex adapters. Inside the surface mount box there are a number of fingers to manage a coil of fibre, to the adapter.

Product Specifications



Feature	Values
Type of connector	SCAPC Simplex
Suitable for number of couplers	2
Suitable for type of fibre	Single mode
Width	86.2 mm
Height	22 mm
Depth	86.2 mm

Enbeam FTTX Outlet - White, Loaded with 2 x Shuttered SC/APC adapters

Item Code: 200-443



Product drawing



Enbeam FTTX Outlet - White, Loaded with 2 x Shuttered SC/APC adapters

Item Code: 200-443



Standards

Applicable standard	Detail
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2011	Information technology. Generic cabling systems - General requirements
UL-94-V-0	Burning stops within 10 seconds after two applications of ten seconds each of a flame to a test bar. NO flaming drips are allowed.
RoHS	Restriction of Hazardous Substances - Compliant

Part Number Table

Part Number	Description
200-421	Enbeam FTTX Outlet - White, Unloaded
200-422	Enbeam FTTX Outlet - White, Loaded with 2 x SC/APC adapters
200-423	Enbeam FTTX Outlet - White, Loaded with 2 x LC/APC Duplex adapters
200-424	Enbeam FTTX Outlet - White, Loaded with 1 x LC/APC Duplex adapter
200-443	Enbeam FTTX Outlet - White, Loaded with 2 x Shuttered SC/APC adapters
200-444	Enbeam FTTX Outlet - White, Loaded with 2 x Shuttered LC/APC Duplex adapters
200-445	Enbeam FTTX Outlet - White, Loaded with 1 x Shuttered LC/APC Duplex adapter

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.