

X Choice of port density
$oldsymbol{\lambda}$ Available in ST, SC (duplex) and LC (quad)
imes Interchangeable adaptor plate
$oldsymbol{ imes}$ Hinged lockable doors
imes Individual locks
imes Cable management kit included

## **Product Overview**

Excel patch boxes designed for high-density and secure terminations. Their two door design ensures that both the terminations and the patching are safe. The boxes have 20mm knockouts and pre-drilled fixing holes.

# **Product Specifications**

Feature	Values	
Type of fastening	Screw	
Type of connector	ST	
Suitable for number of couplers	12	
Suitable for type of fibre	Multi mode	
IP-rating	IP20	
Width	362 mm	
Height	250 mm	
Depth	90 mm	



# Additional specifications

Features	Values
Operating Temprature	-25°C to +40°C
Cable Entry 20mm knock outs	4
Material	Cold rolled steel
Colour	White RAL 9002
Material Thickness	1.2mm
Material Coating	Powder Coating

#### **Included accessories**


Accessories	Quantity
Cable Gland (PG 13.5)	2
Nylon cable tie	10
Adjustable cable tie	6
24 Position splice holder	1
Mounting twist tie	46
Blanking plug	4

# Standards

Applicable standard	Detail
RoHS	Restriction of Hazardous Substances - Compliant
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2011	Information technology. Generic cabling systems - General requirements



**Product drawings** 





## **Part Number Table**

Part Number	Description
202-033	Enbeam 2 Door Lockable Wall Mounted Enclosure - 6 Port LC Quad 24-Core Multimode
202-034	Enbeam 2 Door Lockable Wall Mounted Enclosure - 12 Port LC Quad 48-Core Multimode
202-035	Enbeam 2 Door Lockable Wall Mounted Enclosure - 12 Port ST
202-036	Enbeam 2 Door Lockable Wall Mounted Enclosure - 24 Port ST
202-037	Enbeam 2 Door Lockable Wall Mounted Enclosure - 6 Port SC Duplex
202-038	Enbeam 2 Door Lockable Wall Mounted Enclosure - 12 Port SC Duplex 24-Core Multimode

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.