


Enbeam 2 Door Lockable Wall Mounted Enclosure - 24 Port ST

Item Code: 202-036

excel
without compromise.



✕ Choice of port density

✕ Available in ST, SC (duplex) and LC (quad)

✕ Interchangeable adaptor plate

✕ Hinged lockable doors

✕ Individual locks

✕ Cable management kit included

Product Overview

Excel patch boxes designed for high-density and secure terminations. Their two door design ensures that both the terminations and the patching are safe. The boxes have 20mm knockouts and pre-drilled fixing holes.

Product Specifications

Feature	Values
Surface mounted	Wall Mount - 2 Door Lockable
Type of fastening	Screw
Type of connector	ST
With couplers	24 Port Loaded
Suitable for number of couplers	24
Suitable for type of fibre	Multi mode
Separate strain relief kit	Cable Gland/Splice Bridge/Adhesive cable ties
IP-rating	IP20
Width	362 mm
Height	250 mm
Depth	90 mm

Enbeam 2 Door Lockable Wall Mounted Enclosure - 24 Port ST

Item Code: 202-036



Additional specifications

Features	Values
Operating Temperature	-25°C to +40°C
Cable Entry 20mm knock outs	4
Material	Cold rolled steel
Colour	White RAL 9002
Material Thickness	1.2mm
Material Coating	Powder Coating

Included accessories

Accessories	Quantity
Cable Gland (PG 13.5)	2
Nylon cable tie	10
Adjustable cable tie	6
24 Position splice holder	1
Mounting twist tie	46
Blanking plug	4

Standards


Applicable standard	Detail
RoHS	Restriction of Hazardous Substances - Compliant
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2011	Information technology. Generic cabling systems - General requirements

Enbeam 2 Door Lockable Wall Mounted Enclosure - 24 Port ST

Item Code: 202-036



Product drawings



Enbeam 2 Door Lockable Wall Mounted Enclosure - 24 Port ST

Item Code: 202-036



Part Number Table

Part Number	Description
202-033	Enbeam 2 Door Lockable Wall Mounted Enclosure - 6 Port LC Quad 24-Core Multimode
202-034	Enbeam 2 Door Lockable Wall Mounted Enclosure - 12 Port LC Quad 48-Core Multimode
202-035	Enbeam 2 Door Lockable Wall Mounted Enclosure - 12 Port ST
202-036	Enbeam 2 Door Lockable Wall Mounted Enclosure - 24 Port ST
202-037	Enbeam 2 Door Lockable Wall Mounted Enclosure - 6 Port SC Duplex
202-038	Enbeam 2 Door Lockable Wall Mounted Enclosure - 12 Port SC Duplex 24-Core Multimode

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.