

Enbeam 144 Fibre Optic Splice Closure (FOSC) with Mechanical Seals (Box Type)

Item Code: 208-507



✕ IP68 rated to 1.5 meters

✕ Holds up to 144 single fibres

✕ Integrated pressure valve

✕ Mechanically sealed (compression)

Product Overview

The Enbeam Hinged 144 Fibre Splice Enclosure has been designed to allow up to 144 fibres to be spliced and housed within an IP68 rated durable enclosure, which is ideal for harsh environment applications. The enclosure is mechanically sealed via compression glands and 4 compression latches, to allow re-entry without compromising the integrity of the unit. The enclosures have the ability to be mounted in several ways using different mounting brackets (see additional mounting options); wall, pit, pole and aerial. The enclosure can also house PLC splitters for use in Passive Optical Networks.

Product Specifications

Feature	Values
Surface mounted	Yes
Duct installation	Yes
Type of fastening	Screw
Suitable for type of fibre	Multi mode/single mode
IP-rating	IP68
Width	245 mm
Height	380 mm
Depth	130 mm

Enbeam 144 Fibre Optic Splice Closure (FOSC) with Mechanical Seals (Box Type)

Item Code: 208-507



Additional specifications

Features	Values
Maximum number of fibres	144
Fibres per tray	12
Number of trays	12
Number of large cable ports	2
Suitable for cable diameter	6 to 17.5mm Ø
Number of small cable ports	6
Suitable for cable diameter	4 to 8mm Ø
Number of uncut Cable Entry	1
Suitable for cable diameter	10mm to 17.5mm Ø
IP rating	IP68 to 1.5mtr
Sealing method for all entry and exit	Mechanical (compression)
Weight	5kg
Colour	Black
Material	ABS
mounting kit included	Wall/pole
Operating temperature	-40 °C to +65 °C

Included accessories


Accessories	Quantity
Splice protectors	144
Nylon tie	12
wall mounting bracket	1
Insulation tape	1 reel
Transit tubing	0.5mtr
spiral wrap	0.2mtr
Plastic sealing tool	1
Wall fixings	2
Blanking plugs	4
Allen key	1

Enbeam 144 Fibre Optic Splice Closure (FOSC) with Mechanical Seals (Box Type)

Item Code: 208-507

excel
without compromise.

Product drawing



Standards

Applicable standard	Detail
RoHS	Restriction of Hazardous Substances - Compliant
IEC 61754-1:2013	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance
ISO/IEC 11801-1:2017	Information technology - Generic cabling for customer premises: Part 1 General Requirements
EN 50173-1:2011	Information technology. Generic cabling systems - General requirements

Enbeam 144 Fibre Optic Splice Closure (FOSC) with Mechanical Seals (Box Type)

Item Code: 208-507



Part Number Table

Part Number	Description
208-507	Enbeam 144 Fibre Optic Splice Closure (FOSC) with Mechanical Seals (Box Type)

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.

Contact us at sales@excel-networking.com



E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.