





X 24 way Splice Bridge X Multiple cable entry points X Accepts LC Duplex or SC Simplex adapters X Integrated FRP tie points X DIN or wall mountable X RoHS, Reach compliant

Product Overview

The Enbeam DIN rail box has been designed to be wall or DIN rail mounted with the capacity to hold 12 to 24 fibres. The flexibility to use either tight buffered and loose tube makes this enclosure suitable for multiple applications. The hinged splice tray platform allows full and easy access to connections and enables storage of excess fibre whilst maintaining the correct bend radius.

Product Specifications

Feature	Values
Surface mounted	Yes
Type of connector	LC Duplex
With couplers	Yes
Suitable for number of couplers	12
Suitable for type of fibre	Single mode
Outlet direction	Straight
With dust cover	Yes
IP-rating	IP20
Ambient temperature	-2085 °C
Width	180 mm
Height	180 mm
Depth	40 mm



Additional specifications


Features	Values
Capacity	12 to 24 fibre
Material	1.2mm SPCC
Colour	RAL 9005
Cable entry points	4 x 20mm
Entry Cable Diameter	6mm to 12.8mm
Weight	1.06kgs

Included accessories

Accessories	Quantity
Din mounting bracket	2
M20 Compression gland	1
24 way splice bridge	2
Mounting twist tie	4
Laser warning label	2
50mm length spiral wrap	2



Product drawing



Part Number Table

Part Number	Description
208-210	Enbeam 12 SC Simplex (12 Fibre) Single Mode DIN Rail Box - Blue
208-211	Enbeam 12 SC/APC Simplex (12 Fibres) Single Mode DIN Rail Box - Green
208-212	Enbeam 12 SC Simplex (12 Fibres) Multi Mode DIN Rail Box - Beige
208-213	Enbeam 12 SC Simplex (12 Fibres) Multi Mode DIN Rail Box - Violet
208-214	Enbeam 12 SC Simplex (12 Fibres) Multi Mode DIN Rail Box - Aqua
208-215	Enbeam 12 LC Duplex (24 Fibres) Single Mode DIN Rail Box - Blue
208-216	Enbeam 12 LC/APC Duplex (24 Fibres) Single Mode DIN Rail Box - Green
208-217	Enbeam 12 LC Duplex (24 Fibres) Multi Mode DIN Rail Box - Beige
208-218	Enbeam 12 LC Duplex (24 Fibres) Multi Mode DIN Rail Box - Violet
208-219	Enbeam 12 LC Duplex (24 Fibres) Multi Mode DIN Rail Box - Aqua

Excel is a world class premium performing end to end infrastructure solution designed, Manufactured, supported and delivered without compromise.



Contact us at sales@excel-networking.com

E&OE. Excel is a registered trade name of Mayflex Holdings Ltd.